




| TOP MOUNTED CROSS ARM | | | |
|-----------------------|--------------|---------------|---------------|
| CATALOG # | FIXTURE QTY. | EPA (SQ. FT.) | WEIGHT (LBS.) |
| CRT-16 | 16 | 13.6 | 548 |



FINISH: TOP MOUNTED CROSS ARM BRACKET TO BE FINISHED TO MATCH POLE.

| | |
|--|--------------|
| SOME GEOGRAPHICAL AREAS HAVE SPECIAL WIND CONDITIONS THAT CAN CREATE WIND INDUCED VIBRATIONS CAUSING A FATIGUE PROBLEM. NO METHOD HAS YET BEEN FOUND FOR PREVENTING OR DESTROYING LIGHTNING RODS. THESE LIGHTNING RODS ARE REQUIRED AND CANNOT BE GUARANTEED AGAINST, AND ARE THE RESPONSIBILITY OF A LOCAL SITE ENGINEER. | TITLE: |
| | CATALOG: |
| DWG NO: CRT-16 | SHEET 1 OF 1 |


GENERAL STRUCTURES INC
A DIV. COMPANY
 23171 Groesbeck Hwy.
 Warren, MI 48089
 P: (586) 774-6105 | F: (586) 774-5706
 www.generalstructuresinc.com

| | |
|-------------------|-------------|
| DRAWN: M. HARVALA | 2/19/2015 |
| CHECKED: | DATE: |
| REVISION: | APPROVED: |
| QUOTE: | S.O.# |
| REF: | SCALE: NONE |

